



REVIEW

Motivational interviewing as a tool for nursing care in sexual health: systematic review

Entrevista motivacional como herramienta para el cuidado de enfermería en la salud sexual: revisión sistemática

Entrevista motivacional como ferramenta para o cuidado de enfermagem em saúde sexual: revisão sistemática

Claudia Alejandra Cervantes-Lara^{1*} https://orcid.org/0000-0003-0157-5423

Leticia Casique-Casique² https://orcid.org/0000-0002-0532-4819

- 1. Master in Nursing Sciences, PhD student in Nursing Sciences. Universidad de Guanajuato, Division of Health Sciences and Engineering. Celaya, Guanajuato, Mexico.
- PhD in Nursing Sciences, Full-time Professor. Universidad de Guanajuato, Division of Health Sciences and Engineering. Celaya, Guanajuato, Mexico.

*Correspondence author: claudiacervantes43548@gmail.com

Received: 21/05/2020 Accepted: 10/03/2022

Abstract

Introduction: Sexual health is a fundamental aspect for the integral well-being of the person, however, its absence can cause emotional, physical and evidently sexual alterations, these alterations are manifested through public health problems of each region, so the nursing staff has the professional duty to design and test interventions that can solve the needs of the population on aspects of sexuality. Objective: To investigate how motivational interviewing is applied in nursing care for sexual health care in young adult women. Methodology: Systematic review under preferred reporting elements for systematic reviews and meta-analysis in various databases. Articles published from 2017 to 2020 were analyzed, in English, Spanish and Portuguese; using motivational interviewing, sexual health, nursing and women as descriptors. The inclusion criteria used were: application of motivational interviewing as an intervention by nursing on sexual health issues in young adult women. A sample of two articles was obtained. Results: The studies applied



motivational interviewing in conjunction with an educational strategy to improve adherence to cervical cytology; knowledge was increased, obtaining favorable results, but these results are not sufficient to make assertions. **Conclusion:** Motivational interviewing is an intervention whose application in the sexual health of young adult women is limited, making it an opportunity for the development of nursing research.

Key words: Motivational interviewing; Sexual health; Nursing; Women (DeCS).

Resumen

Introducción: La salud sexual es un aspecto fundamental para el bienestar integral de la persona, sin embargo, su ausencia puede provocar alteraciones emocionales, físicas y propiamente sexuales, estas alteraciones se manifiestan a través de problemas de salud pública de cada región, por lo que el personal de enfermería tiene el deber profesional de diseñar y comprobar intervenciones que puedan resolver las necesidades de la población sobre aspectos de sexualidad. Objetivo: Indagar cómo la entrevista motivacional se aplica en el cuidado de enfermería en la atención a la salud sexual en mujeres adultas jóvenes. Metodología: Revisión sistemática bajo elementos de informes preferidos para revisiones sistemáticas y meta-análisis en diversas bases de datos, se analizaron artículos publicados del 2017 al 2020, en inglés, español y portugués; empleando como descriptores entrevista motivacional, salud sexual, enfermería y mujeres, los criterios de inclusión fueron: aplicación de entrevista motivacional como intervención por parte de enfermería en temas de salud sexual en mujeres adultas jóvenes, se obtuvo una muestra de dos artículos. Resultados: Los estudios aplicaron la entrevista motivacional en conjunto con una estrategia educativa para mejorar la adherencia a la citología cervical, se incrementó el conocimiento, obteniendo resultados favorables, pero no son suficientes para realizar aseveraciones. Conclusiones: La aplicación de la entrevista motivacional es una intervención cuya aplicación en la salud sexual de las mujeres adultas jóvenes es limitada, por lo que es una oportunidad para el desarrollo de investigación en enfermería.

Palabras clave: Entrevista motivacional; Salud sexual; Enfermería; Mujeres (DeCS).

Abstrato

Introdução: A saúde sexual é um aspecto fundamental para o bem-estar integral da pessoa, no entanto, sua ausência pode causar alterações emocionais, físicas e adequadamente sexuais, essas alterações são manifestadas por meio de problemas de saúde pública de cada região, para que a equipe de enfermagem tenha um profissional de enfermagem dever de projetar e verificar intervenções que podem atender às necessidades da população em aspectos da sexualidade. Objetivo: Perguntar como a entrevista motivacional é aplicada em cuidados de enfermagem em cuidados de saúde sexual em mulheres adultas jovens. Metodologia: revisão sistemática sob elementos de relatórios preferidos para revisões sistemáticas e de meta-análise em vários bancos de dados, artigos publicados a partir de 2017 a 2020, em inglês, espanhol e português, foram analisados; empregando como descritores entrevista motivacional, saúde sexual, enfermagem e mulheres, os critérios de inclusão foram: aplicação de entrevista motivacional como uma intervenção pela enfermagem em questões sexuais em mulheres adultas jovens, uma amostra de dois artigos foi obtida. Resultados: Estudos aplicados a entrevista motivacional em conjunto com uma estratégia educacional para melhorar a adesão à citologia cervical, o conhecimento aumentou, obtendo resultados favoráveis, mas eles não são suficientes para fazer afirmações. Conclusões: A aplicação da



entrevista motivacional é uma intervenção cuja aplicação na saúde sexual de jovens adultos é limitada, por isso é uma oportunidade para o desenvolvimento da pesquisa de enfermagem.

Palavras-chave: Entrevista motivacional; Saúde sexual; Enfermagem; Mulheres (DeCS).

Introduction

Sexuality is an inherent part of the human being; it is present during all stages of life, so the enjoyment of sexuality is essential for physical, mental and social well-being. An essential part of sexuality is sexual health, defined by the World Health Organization (WHO) as a state of complete physical, mental and social well-being in relation to sexuality ⁽¹⁾, which is not limited to the absence of disease, dysfunction or discomfort ^(2, 3), but is the harmonious development of sexual capacities, pleasure, communication and affection, leaving aside procreation ⁽⁴⁾.

In order for sexual health to be practiced, access to information, comprehensive education and health services, as well as the elimination of any discrimination, abuse, coercion or violence related to sexuality, are indispensable, so that the guarantee of sexual rights is basic (4-8). Therefore, sexual health in young adult women is a state of personal, family and social well-being, manifested by the free exercise of sexuality, the practice of safe sex and assertiveness in making decisions that limit health risks, obtaining benefits in the general state of the person such as increased sexual desire, improved bladder control, maintenance of low blood pressure levels; it is part of physical activity and improves cardiovascular health, the immune system, sleep and stress management (9). On the other hand, the lack of sexual and reproductive health generates problems such as unplanned pregnancies, adolescent pregnancy, high morbidity of cervical cancer and breast cancer, sexually transmitted infections (STIs), human immunodeficiency virus (HIV)/acquired immunodeficiency syndrome (AIDS), high maternal and infant mortality (10), and domestic and sexual violence (4), so for this review, as well as to know the important aspects of sexual health in young adult women, the aforementioned issues were considered.

It is important to highlight that the onset of sexual life begins at increasingly younger ages, which increases the number of sexual partners and exposure to sexually transmitted infections (11-14), given that the onset of sexual life originates under risky behaviors such as inconsistent use of contraceptive and barrier methods, the result is sexually transmitted infections, unwanted pregnancies, and health, family, partner, and even social problems (15-18). With regard to HIV/AIDS, around 6,000 cases are registered every week in women between 15 and 24 years of age (19), due to the fact that women are two to four times more vulnerable than men (20), there is an increase in the feminization of this epidemic (21); this is similar to sexually transmitted infections, since each year there are 20 million new cases in the United States alone, about half of which occur in people between 15 and 24 years of age, with women being at greater risk of damage due to their biological and anatomical constitution (22, 23). In turn, breast cancer is one of the most common diseases with the highest number of deaths (24); likewise, cervical cancer is the third most common malignant neoplasm ⁽²⁵⁾ and the second leading cause of death worldwide ⁽²⁶⁾. Therefore, in view of the epidemiological records mentioned above, it is important to point out the commitment that the nursing professional has in relation to the search, design and implementation of care strategies with the correct scientific evidence to improve the sexual health of young adult women, since the role of nursing in education is essential (27, 28). Likewise, the literature shows that sexual health has been addressed with positive results through educational talks and/or workshops based on health promotion, but the results are not lasting, so it is proposed to review the Motivational Interviewing, whose application has been successful in changing risk behaviors.

Motivational Interviewing is defined as a therapeutic style that focuses on the person who is ambivalent about change ⁽²⁹⁾, so its objective is to explore and resolve ambivalence with the person by creating a bond that helps to resolve the contradictions of unhealthy behaviors and achieve change in favor of health ⁽³⁰⁻³⁵⁾. As a result of the analysis of sexual health in women with the application of Motivational Interviewing by the nursing professional, this question arose: What scientific evidence exists on the application of Motivational Interviewing in women regarding sexual health by the nursing professional? Therefore, the



objective was established to investigate how Motivational Interviewing is applied in nursing care for sexual health care.


Methodology

The systematic review was used under the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) method, defined as a research publication guide, created to improve the integrity and quality of systematic reviews, consisting of 7 domains (title, abstract, introduction, methods, results, discussion and financing) distributed in 27 items (36).

The search was carried out in electronic databases such as PubMed, Biblioteca Virtual en Salud, Lilacs, Trip Database, Science Direct, EBSCOhost, Cochrane Library, Redalyc.org, Latindex, Elsevier Scopus, Web of Science, SciELO and Dialnet; articles published during the period from 2017 to 2020 were searched. The descriptors used as a search strategy were: Motivational interviewing, Sexual health, Nursing and Woman. Regarding the inclusion criteria, we considered studies of randomized clinical trials, systematic reviews, quantitative and qualitative studies, published in Spanish, English and Portuguese, that addressed as intervention the Motivational Interviewing in the care of young adult women on sexual health by nursing professionals, available in open access, full text and place of implementation unspecified.

The search performed in the electronic databases of the health area resulted in 2,123 articles; subsequently, those articles that did not meet the eligibility criteria and those that were repeated were eliminated. From the 414 articles remaining from the literature search after critical reading of the documents, a total of 2 articles were accepted (Figure 1).

Figure 1: Article selection process, 2019.



Source: prepared by the authors.

It is considered a risk-free research as it is a systematic documentary review without any interaction with individuals. The information collected for each article included authors, year, study design, country and journal of publication. Regarding the intervention, authors, number of sessions, time of intervention, topics addressed and results were considered.

Results

The studies that answered the research question were studies from Brazil, of the randomized clinical trial (37) and quasi-experimental study (38) types in English (Table 1).



Table 1: Analysis of articles, 2019 (n=2).

Author	Year	Study Design	Country	Journal
Marques, Oliveira, Costa, Moreira, De Souza, Bezerra ⁽³⁷⁾ .	2017	Pre-test Post-test Quasi- experimental	Brazil	Latinoamericana de enfermería
Oliveira, Marques, Moreira, Costa, De Souza, Bezerra ⁽³⁸⁾ .	2017	Randomized clinical trial	Brazil	Latinoamericana de enfermería

Source: prepared by the authors.

In the study by Marques, et al. ⁽³⁷⁾ the study subjects were women with inadequate periodicity in the cytology examination; two groups were formed, one group was given an educational intervention by telephone providing information on knowledge, attitudes and practices on cervical cancer prevention, risks, purpose of the cytology examination, importance of performing it with the appropriate periodicity, pre-examination care, as well as the importance of returning for the results. Among the main findings were an increase in knowledge in both groups, although it was higher in the educational intervention group; both groups presented inadequate attitudes, although the score decreased in the educational group. Finally, practices increased in both groups, although adherence was higher in the behavioral group than in the educational group.

In the study by Oliveira, et al ⁽³⁸⁾, three groups of adult women were formed, in the first group daily assistance was provided, which consisted of collecting the sample and arranging a return date by means of a printed sheet that was given to the person; the second group received daily assistance, which consisted of an educational telephone call and a dialogue according to the principles of Motivational Interviewing; the third group received daily assistance and a behavioral intervention, which consisted of notifying the date and time of the consultation one week in advance; the calls were made by previously trained nursing personnel. All three groups were administered a survey on knowledge, attitudes and practices. The main results were that educational and behavioral interventions are effective in getting women to return for the results, as well

as increasing motivation to be interested in health issues, also they perceive an active role in self-care, and ambivalence was eliminated in the Motivational Interviewing group (Table 2).

Table 2: Assessment of the intervention, 2019 (n=2).

Author	Sessions	Intervention Time	Subjects addressed	Results
Marques, et al. 2017.	Telephone call	15 minutes	Explanation of cervical cancer, risks, purpose of the colpocitological examination, importance of periodicity and of receiving the test result.	Increased knowledge, greater adherence to colpocitological examination in both groups and lower inadequate attitude score in the educational group.
Oliveira, et al. 2017.	Telephone call	10 to 15 minutes	Under the principles of Motivational Interviewing, build a relationship with the user, provide educational information.	The educational and behavioral intervention proved to be effective in convincing the woman to return for the results of the colpocitological examination. In the educational group, which was combined with Motivational Interviewing, there was greater motivation to be interested in health issues, also they perceived an active role in self-care and ambivalence was eliminated.

Source: prepared by the authors.

Discussion

When investigating how Motivational Interviewing is applied to nursing care in sexual health care in young adult women, we found limited information according to the search criteria and inclusion of articles; likewise, it is worth mentioning that the studies (37,38) showed an increase in knowledge regarding the topic of interest, improved adherence to undergo the colpocitological examination and to come for the results, as well as increased motivation for health issues, participation in self-care and elimination of ambivalence. This is in agreement with Steinberg, who mentions that Motivational Interviewing is considerably useful in the treatment of various health problems and to address addiction problems such as alcohol and other



substances; he also showed that its application improved the abandonment of behaviors that put people's lives at risk; most importantly, it can be learned by anyone ⁽³⁵⁾, which supports Oliveira's results, pointing out that it is a simple intervention that requires little time and also few economic resources ⁽³⁷⁾. Likewise, this agrees with what Fernandez mentions, when stating that Motivational Interviewing works on motivation together with the person in order to favor change and eliminate unhealthy behaviors, so it should be used by nursing personnel to work on motivation to change (39).

However, according to the study by Marques ⁽³⁷⁾, adherence to cytological examination was greater in the behavioral group, so he suggests further studies and even a follow-up study to determine the duration of the effect of the intervention provided. Other favorable results of its application are its usefulness as an intervention to improve adherence to pharmacological treatments in people with heart failure ⁽⁴⁰⁾, reduce alcohol consumption ⁽⁴¹⁾, treat obesity and overweight ⁽⁴²⁾, increase self-efficacy for breastfeeding ⁽⁴³⁾, among others; therefore, it is an application tool to improve health in collaboration with the person, establishing mutually agreed objectives according to the processes established by the Motivational Interviewing, i.e., linking, focusing, evoking and planning activities, and achieving goals for wellbeing.

Conclusions

The information found from the systematic review based on the application of the Motivational Interviewing to young adult women on aspects of sexual health by the nursing professional was scarce. In turn, the studies found address aspects such as inadequate periodicity of the colpocitological examination, as well as the low rate of women who return for the results after the examination; problems that are the result of inefficient sexual health with future complications due to the lack of periodic revisions. However, it is important to point out that there are other aspects that must be addressed as part of the comprehensive care offered by the nursing professional, which is fundamental for the well-being of young adult women, since they are at a higher risk of acquiring infections and their complications.

Regarding the application of Motivational Interviewing as a care tool, it is necessary to expand its application in the context of sexual health, although it is an intervention that has been tested in other issues, there is a lack of evidence to reaffirm whether it is effective in addressing sexual health in young adult women. Studies show that although Motivational Interviewing can be developed through phone calls to improve education on the subject, it is essential to apply its processes such as collaboration, acceptance, evocation and compassion, which are essential aspects when dealing with a sensitive subject such as sexual health, because some societies may consider it as a taboo subject and show resistance to be treated.

This review shows an opportunity for the nursing professional to consider the importance of Motivational Interviewing in sexual health care, addressing its different aspects, as well as the social problems that the health professional can improve for disease prevention, and in turn, promote sexual health to avoid health risks, for which it is necessary to develop strategies that modify sexual risk behaviors to healthy sexual behaviors.

Conflict of Interest

The authors of this review declare that they have no conflicts of interest.

Funding

This review was funded by Conacyt because one of the authors is currently enrolled in the PhD program in Nursing Sciences.

Bibliographic References

- 1. World Health Organization (WHO). Salud sexual [Internet]. Ginebra: OMS; 2019 [Referenced on January 27, 2022]. Available at: https://www.who.int/es/health-topics/sexual-health#
- 2. World Health Organization (WHO). La salud sexual y su relación con la salud reproductiva: un enfoque operativo. Departamento de Salud Reproductiva e Investigaciones Conexas [Internet]. OMS; 2018 [Referenced on May 16, 2020]. Available at: https://apps.who.int/iris/bitstream/handle/10665/274656/9789243512884-spa.pdf



- Secretaría de Salud. Programa de acción específico salud sexual y reproductiva para adolescentes 2013-2018. Programa sectorial de salud [Internet]. Gobierno de México; 2014 [Referenced on May 15, 2020]. Available

 at: https://www.gob.mx/cms/uploads/attachment/file/242381/SaludSexualyReproductivaparaAdolescent es_2013_2018.pdf
- 4. Ministerio del Poder Popular para la Salud. Norma Oficial para la atención integral en salud sexual y reproductiva [Internet]. Venezuela; 2013 [Referenced on March 12, 2020]. Available at: https://venezuela.unfpa.org/sites/default/files/pub-pdf/NormaOficial%20SSR%202013_1.pdf
- 5. World Association for Sexual Health (WAS). Salud sexual para el milenio declaración y documento técnico [Internet]. WAS. 2009 [Referenced on May 17, 2020]. Available at: https://www.paho.org/hq/dmdocuments/2010/Salud%20Sexual%20para%20el%20Milenio.pdf
- 6. Gruskin S, Yadav V, Castellanos-Usigli, Khizanishvili G, Kismodi E. Sexual health, sexual rights, and sexual pleasure: meaningfully engaging the perfect triangle. Sex Reprod Health Matters [Internet]. 2019 [Referenced on January 17, 2016];27(1):29-40. Available at: https://doi.org/10.1080/26410397.2019.1593787
- 7. Obach A, Sadler M, Jofré N. Salud sexual y reproductiva de adolescentes en Chile: El rol de la educación sexual. Rev. Salud Pública [Internet]. 2017 [Referenced on January 02, 2022]; 19(6):848-854. Available at: http://dx.doi.org/10.15446/rsap.v19n6.70023
- 8. Folch C, Zohrabyan L, Vagaitseva N, Casabona J, Toskin I cma REDAN Group. Measurement of sexual health outcomes among people who inject drugs: pilot study in Catalonia, Spain and Barnaul, Russia. BMC Public health [Internet]. 2018 [Referenced on January 2, 2022]; 18:1-10. Available at: https://doi.org/10.1186/s12889-018-5065-x
- 9. Rubio-Aurioles E. Lo que todo clínico debe saber de sexología. México: Edición y Farmacia; 2015.
- 10. Guzmán A. Infecciones de transmisión sexual, un reto permanente y en constante aumento. Biomedica [Internet]. 2017 [Referenced on February 02 2022]; 37(3): 295-298. Available at: https://doi.org/10.7705/biomedica.v37i3.4054
- 11. García-Vázquez J, Quintó L, Nascimiento M, Agulló-Tomás E. Evolución de la salud sexual en adolescentes españoles y asturianos. Rev Esp Salud Publica [Internet]. 2019 [Referenced on February 1, 2022]; 93:e1-14. Available at: https://pubmed.ncbi.nlm.nih.gov/31482866/
- 12. Torres-Poveda K, Ruiz-Fraga I, Madrid-Marina V, Chavez M, Richardson V. High risk HPV infection prevalence and associated cofactors: a population-based study on female ISSSTE beneficiaries attending the HPV screening and early detection of cervical cancer program. BMC Cancer [Internet]. 2019 [Referenced on February 2, 2022]; 19:1-12 Available at: https://doi.org/10.1186/s12885-019-6388-4
- 13. Cabina-Sánchez B, Hernández-Solís S, Rueda-Gordillo F, Conde-Ferráez L, Gómez-Carballo J cma González-Losa M. Epidemiology of oral HPV infection in Young healthy individuals. Rev Chil Infectol [Internet]. 2017 [Referenced on February 2, 2022]; 34(6):557-562. Available at: doi: https://doi.org/10.4067/s0716-10182017000600557
- 14. Fernández-Feito A, Antón-Fernández R, Paz-Zulueta M. Sexual risk behaviours and PAP testing in university women vaccinated against human papilomavirus. Aten primaria [Internet]. 2018 [Referenced on February 2, 2022]; 50(5):291-298. Available at: https://doi.org/10.1016/j.aprim.2017.05.007
- 15. Instituto Nacional de Estadística y Geografía (INEGI). Encuesta Nacional de la Dinámica Demográfica (ENADID) 2018. INEGI [Internet]. México; 2018 [Updated October 5, 2018; referenced on March 12,



- 2020]. Available at: https://www.inegi.org.mx/contenidos/programas/enadid/2018/doc/resultados_enadid18.pdf
- 16. Rojas OL, Castrejón-Caballero J. El inicio de vida sexual en México. Un análisis de los cambios en el tiempo y las diferencias sociales. RELAP [Internet]. 2020 [Referenced on February 1, 2022]; 14(27):77-114. Available at: http://doi.org/10.31406/relap2020.v14.i12.n27.3
- 17. Saaveda-Alvarado C, García-Ruíz A, Hernández-Ortiz A. Inicio de la vida sexual y reproductiva en la adolescencia, Unidad educativa UPSE. Revista Estudiantil CEUS [Internet]. 2021 [Referenced on February 3, 2022]; 3(1):19-24. Available at: https://ceus.ucacue.edu.ec/index.php/ceus/article/view/51
- 18. Badillo-Viloria M, Mendoza X, Barreto M, Díaz-Pérez A. Comportamientos sexuales riesgosos y factores asociados entre estudiantes universitarios en Barranquilla, Colombia, 2019. Enferm glob [Internet]. 2020 [Referenced on February 3, 2022]; 19(59):422-435. Available at: https://doi.org/10.6018/eglobal.412161
- 19. Programa Conjunto de las Naciones Unidas sobre el VIH/SIDA (ONUSIDA). Hoja informativa. ONUSIDA [Internet]. 2022 [Referenced on March 14, 2020]. Available at: https://www.unaids.org/es/resources/fact-sheet
- 20. Secretaría de Salud. Centro Nacional para la prevención y el control del VIH y el SIDA (Censida). Informe nacional del monitoreo de compromisos y objetivos ampliados para poner fin al sida (informa GAM). Censida [Internet]. México; 2018 [Referenced on March 14, 2020]. Available at: https://www.unaids.org/sites/default/files/country/documents/MEX_2018_countryreport.pdf
- 21. Cobos-Sanchiz D, Castilla KP. El papel de la educación para la salud en la prevención del VIH/sida: una aproximación desde la educación para el desarrollo en Centroamérica. Educar [Internet]. 2020 [Referenced on February 3, 2022]; 56(2):315-331. Available at: https://doi.org/10.5565/rev/educar.1084
- 22. Centro para el Control y la Prevención de Enfermedades (CDC). Enfermedades de transmisión sexual. CDC [Internet]. 2018 [Updated October 15, 2018; referenced on March 16, 2020]. Available at: https://www.cdc.gov/std/spanish/stdfact-teens-spa.htm
- 23. Altarum Institute. Tome el control de su salud sexual: Lo que necesita saber acerca de los servicios preventivos. Alabama Public Health [Internet]. Washington; 2017. [Referenced on January 16, 2022] Available at: https://www.alabamapublichealth.gov/std/assets/sexualhealthguide_spanish.pdf
- 24. International Agency for Research on Cancer. Hoja informativa sobre el cáncer. WHO [Internet]. 2020 [Updated December 1, 2020, Referenced on February 2, 2022]. Available at: https://gco.iarc.fr/today
- 25. Forman D, De Martel C, Lacey CJ, Soerjomataram I, Lortet-Tieulent J, Bruni L, et al. Global burden of human papillomavirus and related diseases. Vaccine [Internet]. 2012 [Referenced on February 3, 2022]; 30 Suppl 5:F12-23. Available at: https://doi.org/10.1016/j.vaccine.2012.07.055
- Domínguez S, Trujillo T, Aguilar K, Hernández M. Infección por el virus del papiloma humano en adolescentes y adultas jóvenes. Rev Cubana Obstet y Ginecol [Internet]. 2018 [Referenced on February 3, 2022];44(1):1-13. Available at: http://scielo.sld.cu/scielo.php?script=sci_arttext&pid=S0138-600X2018000100017&Ing=es
- 27. Rizo-Baeza M, Velandia M, Noreña-Peña A, Cortés-Castell E. La epidemiología como fundamento del diseño curricular de enfermería en salud sexual y reproductiva de los adolescentes y jóvenes. Cienc Innov salud [Internet] 2018. [Referenced on January 16, 2022]; e58:1-14. Available at: http://revistas.unisimon.edu.co/index.php/innovacionsalud/article/view/2938/3645
- 28. Bungay V, Handlovsky I, Phillips J. Prescott C. A scoping review of the literatura on nursing practices with persons seeking care for sexually transmitted infections. J Clin Nurs [Internet]. 2017 [Referenced on March 10, 2020]; 26(1-2):33-48. Available at: doi: https://doi.org/10.1111/jocn.13561



- 29. Miller WR, Rollnick S. La entrevista motivacional ayudar a las personas a cambiar. 3ra ed. Barcelona: Ediciones Paidós: 2015.
- 30. Fernández M, Pérez C, Manzano M. La entrevista motivacional y su uso en enfermería para promover el cambio. Hygia de enfermería: revista científica del colegio [Internet]. 2018. [Referenced on January 15, 2022]; 97:38-41. Available at: https://dialnet.unirioja.es/servlet/articulo?codigo=6565996
- 31. Box S. Revisión bibliográfica. Análisis de la efectividad de la entrevista motivacional en personas con obesidad adultas. NURE [Internet]. 2020. [Referenced on January 15, 2022]; 17(106):1-12. Available at: https://dialnet.unirioja.es/servlet/articulo?codigo=7474868
- 32. Porcar-Serrador R, Ruiz-Hontangas A. La comunicación y la entrevista motivacional en la relación terapéutica enfermera en atención primaria: revisión bibliográfica. RIdEC [Internet]. 2019 [Referenced on January 16, 2022]; 12(2):38-46. Available at: http://enfermeriacomunitaria.org/web/attachments/category/284/RIdEC-v12-n2%20-%20COMPLETA.pdf
- 33. García-Llana H, Serrano R, Cancio H. Evaluación del impacto de un programa de formación en entrevista motivacional a enfermería nefrológica. Enferm Nefrol [Internet]. 2018 [cited May 12, 2020];21(4):394-401. Available at: https://dx.doi.org/10.4321/s2254-28842018000400009
- 34. Erazo E, Zerón A. Entrevista motivacional. Enfoque personalizado al paciente periodontalmente comprometido. Rev Mex de Periodontol [Internet]. 2015 [Referenced on March 12, 2020]; 6(2):88-100. Available at: http://www.medigraphic.com/pdfs/periodontologia/mp-2015/mp152f.pdf
- 35. Steinberg M, Miller W. Entrevista motivacional en el cuidado de la diabetes. Nueva York: La prensa de Guilford; 2015.
- 36. Moraga J, Cartes-Velásquez R. Pautas de chequeo, parte II: Quorum y Prisma. Rev Chil Cir [Internet]. 2015 [Referenced on March 8, 2020];67(3):325-330. Available at: http://dx.doi.org/10.4067/S0718-40262015000300015
- 37. Marques T, Oliveira A, Costa F, Moreira C, De Souza P, Bezerra A. Telephone interventions for adherence to colpocytological examination. Rev Lat Am Enfermagem [Internet]. 2017 [Referenced on May 15, 2020]; 25: e2844:1-8. Available at: https://doi.org/10.1590/1518-8345.1683.2844
- 38. Oliveira A, Marques T, Moreira C, Costa F, De Souza P, Bezerra A. Telephone interventions in adherence to receiving the Pap test report: a randomized clinical trial. Rev latino-Am enfermagem [Internet]. 2017 [Referenced on May 15, 2020]; 25:e1-8. Available at: https://pubmed.ncbi.nlm.nih.gov/29211194/
- 39. Fernández I, Pérez C, Manzano M. La entrevista motivacional y su uso en enfermería para promover el cambio. Hygia de enfermería: revista científica del colegio [Internet]. 2018 [Referenced on May 15, 2020]; 97:38-41. Available at: https://dialnet.unirioja.es/servlet/articulo?codigo=6565996
- 40. Brancacho R, Luna Y. Intervención de enfermería en la mejora del tratamiento pacientes con insuficiencia cardiaca [Thesis of specialty]. Perú: Universidad Nacional de San Agustín de Arequipa; 2017:116.
- 41. Reyes A. Intervención de enfermería para reducir el consumo de alcohol en trabajadores: autoeficacia y reflexología facial [PhD thesis]. México: Universidad Autónoma de Nuevo León; 2019:162.
- 42. Gálvez P, Gómez N, Nicoletti D, Cerda R. ¿Es efectiva la entrevista motivacional individual en la malnutrición por exceso? Una revisión sistemática de la literatura. Aten Primaria [Internet]. 2019 [Referenced on January 12, 2022]; 51(9):548-561. Available at: https://doi.org/10.1016/j.aprim.2018.04.006



43. Lopes A, Barbosa L, Paiva D, Moreira C, Dos Santos J, Batista M. Intervenção telefônica na promoção da autoeficácia, duração e exclusividade do aleitamento materno: estudo experimental randomizado controlado. Rev Lat Am Enfermagem [Internet]. 2019 [Referenced on May 15, 2020]; 27 (e3140):2-9. Available at: https://doi.org/10.1590/1518-8345.2777-3140

How to reference this article: Cervantes-Lara CA, Casique-Casique L. Entrevista motivacional como herramienta para el cuidado de enfermería en la salud sexual: Revisión sistemática. SANUS [Internet]. 2022 [Referenced on <u>dd mm yyl.</u> Available at: DOI/URL.

